RECEIVED CENTRAL FAX CENTER MAR 2 6 2008

## IN THE CLAIMS:

1. (Currently amended) A method for organizing e-mail messages comprising the steps of:

indicating at least one first e-mail message in a user mailbox;

association option; and

forming an associated group of e-mails in the user mailbox comprising at least two or more associated e-mails.

2. (Currently amended) The method of claim 1, wherein the step of associating further comprises the steps of:

enabling an options list to appear with respect to the at least one first e-mail message;

selecting an associate option on the options list; and

indicating the second e-mail; wherein the second e-mail is caused to be automatically associated to the at least one first e-mail to form the associated group of e-mails.

3. (Original) The method of claim 2, further comprising the step of providing a show associations and a hide associations option on the options list.

- 4. (Currently amended) The method of claim 3, further comprising the step of showing the associated <u>first and second</u> e-mails of a sent e-mail message to a recipient when the show associations option is selected.
- 5. (Currently amended) The method of claim 3, further comprising the step of hiding the associated group of e-mails of a sent e-mail message from a recipient when the hide associations option is selected.
- 6. (Original) The method of claim 1, further comprising the step of providing a collapsability and expandability feature for the associated group.
- 7. (Original) The method of claim 6, further comprising the step of providing a first graphical indicator for indicating when the associated group is expanded and a second graphical indicator for indicating when the associated group is collapsed.
- 8. (Original) The method of claim 1, further comprising the step of providing e-mail operations for performing on the associated group of e-mails.
- 9. (Currently amended) A method for organizing e-mail messages comprising the steps of:

creating a user-defined discussion topic heading, said discussion topic heading appearing as an entry in at least one of the a user's mailboxes; and

associating at least one e-mail message to the <u>user-defined</u> discussion topic <u>heading</u> to form an associated e-mail-to-topic group; selecting at least one of a show associations option and a hide associations option
on a reply e-mail to be sent to a recipient; and

showing at least one of the discussion topic heading and associated e-mails of the recipient if the show associations option is selected.

10. (Currently amended) The method of claim 9, wherein the step of associating further comprises the steps of:

enabling an options list to appear with respect to the user-defined discussion topic heading;

selecting an associate option on the options list; and

indicating at least one e-mail message; wherein the at least one e-mail is caused to be automatically associated to the <u>user-defined</u> discussion topic heading to form the associated e-mail-to-topic group.

11. (Currently amended) The method of claim 10, further comprising the step steps of providing a show associations and a hide associations option on the options list;

and

selecting at least one of the show associations option and the hide associations option on a reply e-mail message to be sent to a recipient.

12. (Currently amended) The method of claim 11, further comprising the step of showing at least one of the <u>user-defined</u> discussion topic heading and associated e-mails of the

reply a sent e-mail message to a the recipient when if the show associations option is selected.

- 13. (Currently amended) The method of claim 11, further comprising the step of hiding at least one of the discussion topic heading and associated e-mails of a sent the reply e-mail message to a the recipient when if the hide associations option is selected.
- 14. (Original) The method of claim 9, further comprising the step of providing a collapsability and expandability feature for the associated e-mail-to-topic group.
- 15. (Currently amended) An e-mail system comprising:

e-mail-software for providing e-mail-enpabilities to a user; and
an associate feature for providing e-mail organization capabilities to the user by
organizing e-mail messages to form at least one of an associated group of e-mails or an
associated e-mail-to-topic group in at least one of the user's mailboxes, wherein the
associated group of e-mails is formed by the user causing an options list to appear with
respect to at least one first e-mail message, selecting an associate feature from said
options list, and indicating a second e-mail, wherein the second e-mail is caused to be
automatically associated to the at least one first e-mail to form the associated group of e-mails.

16. (Currently amended) The system of claim 15, further comprising an wherein the options list is provided with respect to each e-mail message, said options list comprising including said associate feature.

## 17. (Cancelled)

- 18. (Currently amended) The system of claim 16, wherein the associated e-mail-to-topic group is formed by creating a user-defined discussion topic heading, causing the options list to appear with respect to at least one e-mail message, selecting the associate feature from said options list, and indicating the discussion topic heading, wherein the at least one e-mail message is caused to be automatically associated to the discussion topic to form the associated e-mail-to-topic group and said discussion topic heading appears as an additional field in said at least one e-mail message.
- 19. (Original) The system of claim 16, further comprising a show associations feature and a hide associations feature on the options list.
- 20. (Original) The system of claim 15, further comprising an auto-process feature for automatically parsing a received e-mail to search for an existing discussion thread, wherein if an existing discussion thread is found, the received e-mail is automatically associated to the discussion thread.